


## HTRD2

Polyimide Developer  
and  
Edge Bead Remover and  
Backside Rinse  
Solvent


HTRD2 is a specially designed solvent formulation for use as a polyimide developer for Fujifilm's negative tone polyamic ester type materials. These negative acting polyimide formulations include the Durimide® 7000, 7100, 7300, 7400 and 7500 series. HTRD2 must be used in conjunction with QZ3512 Polyimide Rinse or RER600 for a satisfactory develop process. Please see our Polyimide Brochure for recommended processes.

HTRD2 is also used as an edge bead removal (EBR) and backside rinse (BSR) solvent for many of our polyimide products including all the negative acting polyimides listed above and the Durimide 32, 100, 200 series non-photosensitive materials.

Product Specifics	
Storage conditions	Ambient to 4°C
Shelf life	36 months
Packaging	4 x 4 L HDPE bottle
	Other configuration are available upon request



**Durimide 7320 SBFT: 39µm**  
Broadband exposure in contact  
Developed with HTRD2/RER600



**Durimide 7410 SBFT: 12µm**  
Canon i-line stepper exposure  
Developed with HTRD2/RER600

The data contained in this technical bulletin is believed to be true and accurate, but is offered solely for your consideration, investigation, and verification. Nothing herein shall be construed to be a warranty or guarantee by the Fujifilm Electronic Materials manufacturer ("FFEM") or any of its affiliates, and all such warranties, implied or otherwise, including any express or implied warranty of merchantability or fitness for a particular purpose, are hereby expressly disclaimed. You are fully responsible for any use and/or domestic or foreign sales of the product(s) described. Nothing in this technical bulletin shall be construed to constitute permission or a recommendation to use or practice any invention covered by a patent or patent application or know-how owned by FFEM, its affiliates, or others. Please refer to the material safety data sheet (MSDS) for complete information on storage and handling, toxicological properties, personal protective equipment, first aid, spill and leak procedures, and waste disposal. To order an MSDS, call your FFEM sales office. Before using or handling this product, review the MSDS information thoroughly.

**FUJIFILM**  
www.fujifilm-ffem.com

**European Headquarters  
Fujifilm Electronic Materials  
(Europe) N.V.**

Keetberglaan 1A  
Havennummer 1061  
B-2070 Zwijndrecht  
Belgium  
Telephone : 32-3-250-0511  
Fax : 32-3-252-4631

**Fujifilm Electronic Materials  
U.S.A., Inc.**

6550 South Mountain Road  
Mesa, Arizona 85212  
U.S.A.  
Telephone : 1-480-987-7536  
Fax : 1-480-987-7104

**Worldwide Headquarters  
Fujifilm Electronic Materials, Co., Ltd.**

15th Arai-BLDG, 6-19-20  
Jingumae Shibuya-Ku  
Tokyo 150-0001  
Japan  
Telephone : 81-3-3406-6911

**Fujifilm Electronic Materials U.S.A., Inc.**

Quonset Point  
80 Circuit Drive  
North Kingstown, Rhode Island 02852  
U.S.A.  
Telephone : 1-800-553-6546